

Shenzhen Enster Electronics Co.,LTD

IR 4X ZOOM Camera IP Camera



Feature:

IP66 Waterproof Bullet Camera

DVR/CMS adjust for Zoom&Focus

Lens:AutoFocus Varifocal 2.8-12mm

IR LED: 42pieces F5 IR LED

IR Range: 40m

3-Axis Anti-Cut Bracket

Camera Type	IR 4X ZOOM Camera(Motorized Zoom Auto Focus Lens)
Effective Pixels	2.0 Mega Pixels 1080P(25/30fps)
Image Sensor	1/2.8" SONY CMOS,WDR,UTC/OSD,HD&Analog Dual Output
DSP	K9
Min. Illumination	Color 0.01Lux@F1.2
	B/W 0.01 Lux@F1.2
Signal System	AHD/TVI/CVI/CVBS or PAL/NTSC
On Screen Display	Yes,Cable Control/UTC
OSD Function	1080P 30/25FPS WDR 3D-DNR Sens-up x2 x4 x8 Digital Zoom 16x Manual/DC Lens,Shutter/AGC/WB,Pict Adjust,Mirror,Day/Night,DNR,BLC/HLC,Motion Detect,Privacy Zone
IR Cut Filter	N/A
Lens Mount	4X Optical Zoom AutoFocus Lens 2.8-12mm
Infrared Luminary	4pcs Array IR LED
Infrared Wavelength	850 nm
Illuminate Distance	40m
Waterproof Criterion	IP66
I/O Connector	1*DC Power Connector ,2* BNC Video Connector (CVBS And AHD)
Supplied Voltage	DC12V

Power Consumption	Less than 200mA
Working Enviroment	-10 ° C~+60 ° C, 10%~90% (Built in Heater being optional added for enviroment lower than -20 °)
Weight	1.0KG